



# Certificate of CARB Compliance

No. TPC-18-CARB/20/1259/01

**MPA** Eberswalde

Materialprüfanstalt  
Brandenburg GmbH

Prüfung, Überwachung,  
Zertifizierung, Gutachten,  
Forschung und Entwicklung

In compliance with the order of California Air Resources Board, "Airborne Toxic Control Measure to Reduce Formaldehyde Emissions from Composite Wood Products (ATCM)", 93120-93120.12, title 17, California Code of Regulations; it has been stated that the composite wood product

Alfred-Möller-Straße 1, H 13  
D-16225 Eberswalde

Fon +49 (0) 33 34. 65 560  
Fax +49 (0) 33 34. 65 550

www.mpaew.de  
office@mpaew.de

Geschäftsführer:  
Dr. Peter Schumacher

HRB 10408 FF

## Hardwood Plywood and Combi Plywood

type: **Hardwood plywood - veneer core**

resin: urea-formaldehyde resin

thickness range: 4 mm up to 45 mm

produced by the manufacturer

**PAGED MORAG S.A**

ul. Mazurska 1, 14-300 Morag, Poland

in the plant

**PAGED MORAG S.A**

ul. Mazurska 1, 14-300 Morag, Poland

is submitted by the manufacturer to the initial type-testing of the product and a factory production control and that the CARB-approved third party certifier

**MPA Eberswalde**

Materialprüfanstalt Brandenburg GmbH

Alfred-Möller-Straße 1, 16225 Eberswalde, Germany

has performed the initial inspection of the manufacturer, has verified the accuracy of used emission test procedures and quality control facilities and performs the continuous supervision of the manufacturer's quality assurance program and product control.

This certificate attests that above mentioned product meet the ATCM emission requirement established in section 93120.2 of

**CARB Phase 2**

and may now carry the MPA Eberswalde TPC-18 label. This certificate is valid as long as the continuous supervision will be carried out by MPA Eberswalde.

Eberswalde, 29<sup>th</sup> of January 2020



  
Dr. Robby Wegner  
Head of Certification Body

Sparkasse Schwandorf  
Kto-Nr.: 100 164 862  
BLZ: 750 510 40  
IBAN: DE55 7505 1040 0100 1648 62  
BIC-/SWIFT: BYLADEM1SAD  
USt.-Id. DE814335485  
Finanzamt Eberswalde



Die Akkreditierung gilt nur für die in der Urkunde aufgeführten Verfahren.



vom DIBt anerkannte  
PÜZ-Stelle BRA02



EC notified 0763



CARB notified TPC 18