



The mark of responsible forestry

Paged Master Form

Our flagship, waterproof bond, hardwood plywood overlaid with purpose-designed phenolic film. Paged Master Form was designed to perform at its best in the challenging industries of formwork and heavy-duty flooring applications.

KEY BENEFITS AND APPLICATIONS

- Main application areas include: formwork systems, concrete prefabrication, construction, heavy duty transport, shipbuilding
- Ease of machining
- Durability
- Uniform surface
- Made from responsibly sourced wood in Poland

STANDARD SIZES* [mm] 1250x2500/3000
1500x2500/3000/3300

*Other formats available on request

DIMENSIONAL DEVIATION AS PER EN 315 & EN 324

Length/Width	Deviation
< 1000 mm	± 1 mm
1000 – 2000 mm	± 2 mm
> 2000 mm	± 3 mm

STRAIGHTNESS AND SQUARENESS DEVIATION AS PER EN 315 & EN 324

	Deviation
Straightness	± 0,1% or ± 1mm/m
Squareness	± 0,1% or ± 1mm/m

NOMINAL THICKNESS WITH STANDARD DEVIATION, NUMBER OF PLYS, DENSITY AS PER EN 315, EN 323 & EN 324

Nominal Thickness (mm)*	Number of plies (pcs)	Standard Deviation (mm)	Weight (kg/m ²)	Density avg. (kg/m ³)
9	7	-0,7	+0,5	6,3
12	9	-0,8	+0,6	8,4
15	11	-0,9	+0,7	10,5
18	13	-0,9	+0,7	12,6
21	15	-1,0	+0,8	14,7
24	17	-1,1	+0,9	16,8
27	19	-1,8	+1,4	18,9
30	21	-1,9	+1,5	21
35	25	-1,5	+1,1	24,5
40	27	-1,6	+1,2	28
45	31	-1,8	+1,4	31,5

640-760**

*Other thicknesses available upon request

**As measured at 8-12% moisture content

COATING

Film type	Phenolic
Thickness	120 / 167 / 220 g/m ²
Taber Abraser	320 / 440 / 600 (no. of cycles)
Colour	Black, black brown, light brown

RELEASE OF FORMALDEHYDE (EN 717-1)

½ E1

BONDING QUALITY (EN 314-2)

Class 3

MACHINING

Edge machining, CNC machining and drilling on request

ADDITIONAL INFORMATION

1. General Terms of Sales available from www.sklejkapaged.pl
2. Declaration of Performance available from www.sklejkapaged.pl
3. Film-faced plywood in-house norms and standards available from www.sklejkapaged.pl
4. Face coating setup: F/F.

Our product is made of renewable resource. Our products are characterized by low carbon footprint and are produced from certified wood, thus respecting the natural environment and the local community. The information contained in this document is intended as a guideline only and comes without warranty. We reserve the right to amend product specification sheets without notice.



Our product is made of renewable resource. Our products are characterized by low carbon footprint and are produced from certified wood, thus respecting the natural environment and the local community. The information contained in this document is intended as a guideline only and comes without warranty. We reserve the right to amend product specification sheets without notice.