



# Certificate of constancy of performance according to AVCP-System 1

**MPA** | Eberswalde

Materialprüfanstalt  
Brandenburg GmbH

## 0763-CPR-6087

Prüfung, Überwachung,  
Zertifizierung, Gutachten,  
Forschung und Entwicklung

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR) this certificate applies to the construction product

Alfred-Möller-Straße 1, H 13  
D-16225 Eberswalde

Fon +49 (0) 33 34. 65 560  
Fax +49 (0) 33 34. 65 550

www.mpaew.de  
office@mpaew.de

Geschäftsführer:  
Dr. Robby Wegner

HRB 10408 FF

### Softwood plywood PAGED DryGuard FR-

according to EN 636 for use as non-structural components in exterior conditions for use as walls and roofs,  
technical class EN 636-3 S, surface protected,  
wood species: softwood, nominal thickness  $\geq 12$  mm,  
density  $550 \text{ kg/m}^3 - 700 \text{ kg/m}^3$ ,  
class of reaction to fire acc. to EN 13501-1: B – s1, d0.

This classification is valid for the following end use conditions acc. to classification report SL/Z-805/EN13501/0771/2024 of 16.09.2024.

Material with mechanical fixing directly or by means of wooden or metal substructures, to non-combustible mineral substrates of class A1 or A2-s1, d0 with ventilated or non-ventilated air gap.

produced by

**Paged Morąg S.A.**

**ul. Mazurska 1, PL – 14-300 Morąg**

and produced in the manufacturing plant

**Paged Morąg S.A.**

**ul. Mazurska 1, PL – 14-300 Morąg**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

### EN 13986:2004+A1:2015

under system 1 for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 07.10.2024 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly.

Eberswalde, 07.10.2024



Dr. Robby Wegner  
Head of Certification Body

Sparkasse Schwandorf  
Kto-Nr.: 100 164 862  
BLZ: 750 510 40  
IBAN: DE55 7505 1040 0100 1648 62  
BIC-/SWIFT: BYLADEM1SAD  
USt.-Id. DE814335485  
Finanzamt Eberswalde



Die Akkreditierung gilt nur für die in der Urkunde aufgeführten Verfahren.



vom DIBt anerkannte  
PÜZ-Stelle BRA02



EC notified 0763



CARB notified TPC 18